# 2015 Consumer Confidence Report

water System Name: Harris Farms South Camp(1009028) Report Date: 2015	
We test the drinking water quality for many constituents as required by state and federal regulations. This report s the results of our monitoring for the period of January 1 - December 31, 2015 and may include earlier monitoring do	
Este informe contiene información muy importante sobre su agua potable. Tradúzcalo ó hable con alguien quentienda bien.	ue lo
Type of water source(s) in use: Surface water	
Name & general location of source(s): California Aqueduct, Westlands Water Distict lateral #PV2.	
Drinking Water Source Assessment information: The California Aqueduct is exposed to a wide variety of possible	<del>,</del>
Contaminants throughout its length. Of primary concern are those activities occurring in the	
Reach downstream from the San Luis Reservoir. Water entering the San Luis Reservoir and the O'Neil Forebay brin	g
With it mixture of contaminants accumulated in passage through the Sacramento Valley, the San Joaquin Delta and to	ihe
Inflow from many drainage inlets between the Delta and the Reservoir. Storm runoff and agricultural drainage inflow	V
At many locations in this watershed could possibly reach the Aqueduct. In the O'Neil Forebay the Aqueduct water is	s
Mingled with water from the Federal Delta-Mendota Canal, which is also influenced by significant storm runoff and	
Agricultural drainage. Contaminates can enter the Aqueduct in the reaches of downstream of the San Luis Reservoir	
Strom drainage from the east side of the Coast Range accumulates adjacent to the Aqueduct and is pumped into the	
Aqueduct for disposal/ This drainage contains asbestos, agricultural drainage, oil field wastes and other potential	
Chemicals from accidental spills. Westlands Water District enforces a policy that does not allow drainage water or	
Return water off fields to reenter their delivery system. The district maintain an active Municipal and Industrial Back	ζ-
Flow prevention program approved by the California Department of Health Services for those connections that requi	re
Protective devices.	
Time and place of regularly scheduled board meetings for public participation: Please call to arrange a meeting.	
For more information, contact: Mike Casey Phone: (559) 884-2435	
TERMS USED IN THIS REPORT	

Maximum Contaminant Level (MCL): The highest level of a contaminant that is allowed in drinking water. Primary MCLs are set as close to the PHGs (or MCLGs) as is economically and technologically feasible. Secondary MCLs are set to protect the odor, taste, and appearance of drinking water.

Maximum Contaminant Level Goal (MCLG): The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs are set by the U.S. Environmental Protection Agency (USEPA).

**Public Health Goal (PHG):** The level of a contaminant in drinking water below which there is no known or expected risk to health. PHGs are set by the California Environmental Protection Agency.

Maximum Residual Disinfectant Level (MRDL): The highest level of a disinfectant allowed in drinking Primary Drinking Water Standards (PDWS): MCLs and MRDLs for contaminants that affect health along with their monitoring and reporting requirements, and water treatment requirements.

Secondary Drinking Water Standards (SDWS): MCLs for contaminants that affect taste, odor, or appearance of the drinking water. Contaminants with SDWSs do not affect the health at the MCL levels.

Treatment Technique (TT): A required process intended to reduce the level of a contaminant in drinking water.

Regulatory Action Level (AL): The concentration of a contaminant which, if exceeded, triggers treatment or other requirements that a water system must follow.

Variances and Exemptions: State Board permission to exceed an MCL or not comply with a treatment technique under certain conditions.

Revised Jan 2015 2014 SWS CCR Form

water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.

Maximum Residual Disinfectant Level Goal (MRDLG): The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.

**ND**: not detectable at testing limit

ppm: parts per million or milligrams per liter (mg/L)

ppb: parts per billion or micrograms per liter ( $\mu g/L$ )

**ppt**: parts per trillion or nanograms per liter (ng/L)

**ppq**: parts per quadrillion or picogram per liter (pg/L)

pCi/L: picocuries per liter (a measure of radiation)

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

#### Contaminants that may be present in source water include:

- *Microbial contaminants*, such as viruses and bacteria, that may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- *Inorganic contaminants*, such as salts and metals, that can be naturally-occurring or result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- *Pesticides and herbicides*, that may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, that are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, agricultural application, and septic systems.
- Radioactive contaminants, that can be naturally-occurring or be the result of oil and gas production and mining activities.

In order to ensure that tap water is safe to drink, the USEPA and the State Water Resources Control Board (State Board) prescribe regulations that limit the amount of certain contaminants in water provided by public water systems. State Board regulations also establish limits for contaminants in bottled water that provide the same protection for public health.

Tables 1, 2, 3, 4, 5, 7, and 8 list all of the drinking water contaminants that were detected during the most recent sampling for the constituent. The presence of these contaminants in the water does not necessarily indicate that the water poses a health risk. The State Board allows us to monitor for certain contaminants less than once per year because the concentrations of these contaminants do not change frequently. Some of the data, though representative of the water quality, are more than one year old.

TABLE 1 –	SAMPLING	RESULT	S SHOWI	NG THE DI	ETECTION	OF COLIF	FORM BACTERIA
Microbiological Contaminants (complete if bacteria detected)	Highest No. of Detections	No. of months in violation		MCL		MCLG	Typical Source of Bacteria
Total Coliform Bacteria	(In a mo.) <u>0</u>	0		More than 1 sample in a month with a detection		0	Naturally present in the environment
Fecal Coliform or E. coli	(In the year)	0		A routine sar repeat sampl total coliforr sample also coliform or I	e detect n and either detects fecal	0	Human and animal fecal waste
TABLE 2	- SAMPLIN	IG RESUL	TS SHOV	VING THE	DETECTION	ON OF LEAD	D AND COPPER
Lead and Copper (complete if lead or copper detected in the last sample set)	Sample Date	No. of samples collected	90 <sup>th</sup> percentile level detected	No. sites exceeding AL	AL	PHG	Typical Source of Contaminant
Lead (ppb)	2014	5	<5	0	15	0.2	Internal corrosion of household water plumbing systems; discharges from industrial manufacturers; erosion of natural deposits
Copper (ppm)	2014	5	0.178	0	1.3	0.3	Internal corrosion of household plumbing systems; erosion of natural deposits; leaching from wood preservatives
	TABLE 3	- SAMPL	ING RES	ULTS FOR	SODIUM A	ND HARDI	NESS
Chemical or Constituent (and reporting units)	Sample Date	Level Detecte		Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Sodium (ppm)	2015	71		N/A	none	none	Salt present in the water and is generally naturally occurring
Hardness (ppm)	2015	140		N/A	none	none	Sum of polyvalent cations present in the water, generally magnesium and calcium, and are usually naturally occurring
*Any violation of an MCL or A	AL is asteriske	d. Additiona	al informatio	on regarding th	he violation i	s provided late	er in this report.
TABLE 4 – DET	TECTION O	F CONTA	MINANT	S WITH A <u>I</u>	PRIMARY	DRINKING	WATER STANDARD
Chemical or Constituent (and reporting units)	Sample Date	Level Detecte		Range of Detections	MCL [MRDL]	PHG (MCLG) [MRDLG]	Typical Source of Contaminant
Arsenic (ppb)	2015	2.7	2.7		10	0.004	Erosion of natural deposits; runoff from orchards; glass and electronics production wastes
Nitrate (as nitrate, NO3) (ppm)	2015	2.2		N/A	45	45	Runoff and leaching from fertilizer use; leaching from septic tanks and sewage; erosion of natural deposits.
TTHM (Total Trihalomethanes) (ppb)	2015	78.6*		15 - 120	80	N/A	Byproduct of drinking water disinfection.
HAA5 (Haloacetic Acids) (ppb)	2015	65*		30 - 110	60	N/A	Byproduct of drinking water disinfection.
TABLE 5 – DETECTION OF CONTAMINANTS WITH A <u>SECONDARY</u> DRINKING WATER STANDARD							
Chemical or Constituent (and reporting units)	Sample Date	Level Dete		Range of Detections	MCL	PHG (MCLG)	Typical Source of Contaminant
Color (Units)	2015	20*		N/A	15	N/A	Naturally-occurring organic material.
Specific Conductance (EC) (umhos/cm)	2015	590		N/A	1600	N/A	Substances that form ions when in water; seawater influence.

Chloride (ppm)	2015	100	N/A	500	N/A	Runoff/leaching from natural deposits; seawater influence.
Sulfate (ppm)	2015	53	N/A	500	N/A	Runoff/leaching from natural deposits; industrial wastes.
Total Filterable Residue @180C(TDS) (ppm)	2015	330	N/A	1000	N/A	Runoff leaching from natural deposits
Control of DBP precursors (TOC) (mg/L)	2015	3.06	N/A	TT	N/A	Various natural and man-made sources
Turbidity (NTU)	2015	0.76	N/A	TT	N/A	Soil Runoff.

<sup>\*</sup>Any violation of an MCL, MRDL, or TT is asterisked. Additional information regarding the violation is provided later in this report.

TABLE 6 – DETECTION OF UNREGULATED CONTAMINANTS					
Chemical or Constituent (and reporting units)	Sample Date	Level Detected	Range of Detections	Notification Level	Health Effects Language
Potassium (ppm)	2015	3.7	N/A	N/A	No health effects language available.

### **Additional General Information on Drinking Water**

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that the water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the USEPA's Safe Drinking Water Hotline (1-800-426-4791).

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. USEPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by *Cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Lead-Specific Language for Community Water Systems: If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. Harris Farms South Camp is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at <a href="http://www.epa.gov/safewater/lead">http://www.epa.gov/safewater/lead</a>.

# Summary Information for Violation of a MCL, MRDL, AL, TT, or Monitoring and Reporting Requirement

VIOLATION OF A MCL, MRDL, AL, TT, OR MONITORING AND REPORTING REQUIREMENT						
Violation	Explanation	Duration	Actions Taken to Correct the Violation	Health Effects Language		
TTHM (Total Trihalomethanes)	Byproduct of drinking water disinfection	On going	Harris South Camp consulted with an engineering firm to upgrade the water treatment plant for the disinfection treatment process; these upgrades will remove disinfection byproduct precursors to levels within the MCL.	Some people who drink water containing trihalomethanes in excess of the MCL over many years may experience liver, kidney, or central nervous system problems, and may have an increased risk of getting cancer.		
Haloacetic Acids	Byproduct of drinking water disinfection	On going	Harris South Camp consulted with an engineering firm to upgrade the water treatment plant for the disinfection treatment process; these upgrades will remove disinfection byproduct precursors to levels within the MCL.	Some people who drink water containing haloacetic acids in excess of the MCL over many years may have an increased risk of getting cancer.		

## For Systems Providing Surface Water as a Source of Drinking Water

TABLE 8 - SAMPLING RESULTS SHOWING TREATMENT OF SURFACE WATER SOURCES				
Treatment Technique <sup>(a)</sup> (Type of approved filtration technology used)	Harris South Camp's water treatment plant is operating as an inline filtration plant with processes that include: coagulation, pressure filtration, and chlorination.			
Turbidity Performance Standards (b) (that must be met through the water treatment process)	Turbidity of the filtered water must:  1 – Be less than or equal to 0.1 NTU in 95% of measurements in a month.  2 – Not exceed 1.0 NTU for more than eight consecutive hours.  3 – Not exceed 1.0 NTU at any time.			
Lowest monthly percentage of samples that met Turbidity Performance Standard No. 1.	95.7%			
Highest single turbidity measurement during the year	0.242 NTU			
Number of violations of any surface water treatment requirements	0			

<sup>(</sup>a) A required process intended to reduce the level of a contaminant in drinking water.

<sup>(</sup>b) Turbidity (measured in NTU) is a measurement of the cloudiness of water and is a good indicator of water quality and filtration performance. Turbidity results which meet performance standards are considered to be in compliance with filtration requirements.

<sup>\*</sup> Any violation of a TT is marked with an asterisk. Additional information regarding the violation is provided below.